

SPALDING SPECIFICATIONS

DATE: 06/09/10

MODEL NUMBER: 401879

DESCRIPTION: Spalding 2500 Portable Backstop

SPECIFICATIONS:

Frame:

The base of the frame shall consist of structural steel tubing, comprising of 2"x3", round tubing, and formed heavy gauge steel parts welded together to form a box section. The base weldment supports 2 structural steel arms consisting of 2"x3" and steel parts welded together. Hinges consist of 1" ground and polished pins with bronze bushings on all pivot points. The unit shall have a boom weldment consisting of structural steel tubing, comprising of 3-1/2"x3-1/2", formed heavy gauge steel, and steel parts welded together. The boom shall have an extension of 5' from the front base pad to the front of the backboard glass. The unit will come preassembled with 1000lbs. of ballast weight. The total weight of assembled unit when in the playing position is approximately 2300lbs.

Wheels:

The front shall be provided with 2 heavy-duty swivel casters each with one 4"x2" poly wheel rated at 900lbs. The rear of the base shall have one 6"x2" poly wheels each side rated at 1200lbs. Each unit shall come with a jack lifting mechanism attached to the front casters for ease of set-up.

Anchors:

Each unit shall come equipped with ribbed brass floor inserts and two heavy-duty drop pins for locating the baskets, Rear anchor and ribbed floor insert, and adjustable chain links to anchor the unit to the floor.

Folding:

The unit shall operate with 5 Chrome Silicon springs to assist in raising and lowering. The unit shall come with a positive lock at the 8', 9', and 10' playing positions and can be adjusted to meet several heights in between.

Padding:

All front padding shall be a minimum of 1-1/2" thick covered with vinyl. All base side padding shall be a minimum of 1-1/2" thick covered with vinyl. Standard padding color shall be black.

Finish:

The unit shall be finished with a baked on electro-static powder-coat standard color white.

Rim and Backboard attachment:

The rim and backboard shall be attached to the unit as a direct mount which completely eliminate stress on the glass backboard during play. A V-Brace support is supplied to further support the backboard during play.

WARRANTY: Ten year limited warranty on frame, two year on telescopic brace, and two years on the foot pedestals.

SHIPPING WEIGHT: 2300lbs approximate





